

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.


WEST Search History



DATE: Tuesday, September 28, 2004

Hide?	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L15	acyclic group same database	0
<input type="checkbox"/>	L14	L13 and l6	0
<input type="checkbox"/>	L13	acyclic group	420
<input type="checkbox"/>	L12	l9 and acyclic group	0
<input type="checkbox"/>	L11	hierarchical database same directed acyclic	2
<input type="checkbox"/>	L10	hierarchical database same directed acyclic adj3 structure	0
<input type="checkbox"/>	L9	707/9.ccls.	720
<input type="checkbox"/>	L8	directed near5 acyclic near5 group	19
	<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L7	directed near5 acyclic near5 group	26
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L6	709/229.ccls.	1171
<input type="checkbox"/>	L5	l3 and database	0
<input type="checkbox"/>	L4	l2 and database	2
<input type="checkbox"/>	L3	directed acyclic group	2
<input type="checkbox"/>	L2	hierarchical database same directed acyclic	2
<input type="checkbox"/>	L1	hierarchical database same directed acyclic group	0

END OF SEARCH HISTORY



Web Results 1 - 10 of about 3,740 for **hierarchical database directed acyclic group access right**. (3.23 seco

[PDF] Relational Database Access Layers A Pattern Language

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 1996 by sd&m, All **Rights** Reserved File: plop_relzs05.doc Relational **Database Access**

Layer **Hierarchical** Views Transaction Object View Factory Physical View ...

www.objectarchitects.de/ObjectArchitects/papers/Published/ZippedPapers/plop_relzs05.pdf - [Similar pages](#)

BSCW related Papers

... Figure 1: A **hierarchical group** structure. ... In the **database** world it is common to separate regular data and ... It is a **directed acyclic** graph with the **rights** to the ...

bscw.fit.fraunhofer.de/Papers/ECSCW97-Group/GroupModel.html - 42k - [Cached](#) - [Similar pages](#)

Oxford Brookes CMS: Software Engineering Research Group

... of constructive optimisation of **database** structures will be ... Algebra Approach to **Directed Acyclic Graphs**, In ... exploiting the **hierarchical** structure; links ...

www.brookes.ac.uk/schools/cms/research/researchgroups/softeng/researchprojects.htm - 29k -

[Cached](#) - [Similar pages](#)

Hierarchical - encyclopedia article about Hierarchical. Free ...

... areas to show relations between **groups** or elements ... thus be represented as a connected **directed acyclic** graph ... arguably fruitfully, from a **hierarchical** perspective ...

encyclopedia.thefreedictionary.com/hierarchical - 48k - [Cached](#) - [Similar pages](#)

Hewlett-Packard Journal: POSIX interface for MPE/iX - portable ...

... just a tree structure (a **directed acyclic** graph, to ... and GID (**group** identifier) **databases** replaces most ... users from incorporating the **hierarchical** directory into ...

www.findarticles.com/p/articles/mi_m0HPJ/is_n3_v44/ai_13914913 - 18k - [Cached](#) - [Similar pages](#)

Hewlett-Packard Journal: POSIX interface for MPE/iX - portable ...

... is just a tree structure (a **directed acyclic** graph, to ... the UID and GID (**group** identifier) **databases** replaces most ... below the root of the **hierarchical** directory. ...

www.findarticles.com/p/articles/mi_m0HPJ/is_n3_v44/ai_13914913/print - 23k -

[Cached](#) - [Similar pages](#)

[PDF] HIERARCHY-BASED ACCESS CONTROL IN DISTRIBUTED ENVIRONMENTS Jean ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... con- trol (eg, networks, Internet, distributed **databases**, web services ... a vertex v j in the **hierarchical** order (v ... if and only if there exists a **directed** path in ...

www.ccs.neu.edu/home/noubir/publications/BZNR01.pdf - [Similar pages](#)

[PDF] NGS BG Technical Presentation Jan 2002, english

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... even to not protected resources -**Database** for surf ... breakdown requests will be **directed** to another ... Configuration of Standard Forms **Hierarchical** Assignment of ...

www.beanguard.de/pdf/english/NGS_BG_Tech_Pres_020118_EN.pdf - [Similar pages](#)

[PDF] Gene Ontology-based clustering of gene expression data Boris ...

File Format: PDF/Adobe Acrobat

... holds functional gene annotation in a **hierarchical** structure that ... relationships, so that the GO **database** can be ... spoken, the GO is a **directed acyclic** graph, and ...

gicl.cs.drexel.edu/papers/PDFs/DU-CS-04-01.pdf - [Similar pages](#)



Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Google Search Web 49 Pop-ups blocked News AutoFill

hierarchical database directed ac

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

Searching for **PHRASE hierarchical database directed acyclic group access right.**

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google](#) [CiteSeer](#)
[Google \(Web\)](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. **Order: relevance to query.**

[Parallel Database Machines - Bratbergsengen](#) (Correct)

Parallel **Database** Machines Kjell Bratbergsengen Department Of seventies. The actual architectures have taken many **directions**. They can be classified into 5 categories. 1) memories. The more well known systems in this **group** are STARAN, NON-VON and RELACS. 4) Multiprocessor

www.idi.ntnu.no/IDT/grupper/DB-grp/tech_papers/milano.ps

[Using Carnot for Enterprise Information Integration - Woelk, Cannata, Huhns.. \(1993\)](#) (Correct) (12 citations)
 Environment (GIE) and the Carnot DSQTM. The **databases** used for the SQL **Access Group** Demo contained the manager in a company to make travel plans **directly** or to review the company's travel Carnot DSQTM. The **databases** used for the SQL **Access Group** Demo contained information on bookings for air

www.mcc.com/infosleuth/publications/postscript/pdis93-final.ps

[Upward Planar Drawing Of Single Source Acyclic Digraphs - Hutton, Lubiw \(1991\)](#) (Correct) (18 citations)

LUBIW z Abstract. An upward plane drawing of a **directed acyclic** graph is a plane drawing of the digraph Upward Planar Drawing Of Single Source **Acyclic** Digraphs Michael D. Hutton Y And Anna Lubiw upward plane drawing is given. The digraph on the **right** is not upward planar-though it is planar, since www.eecg.toronto.edu/~mdhutton/papers/siamjc96.ps.gz

[Direct construction of Compact Directed Acyclic Word Graphs - Crochemore, Vérin \(1997\)](#) (Correct) (9 citations)

to use. Meanwhile, the length of sequences in **databases** grows rapidly and the bottleneck to using the **Direct** construction of Compact **Directed Acyclic** Word **Direct** construction of Compact **Directed Acyclic** Word Graphs Maxime Crochemore and Renaud V' www-igm.univ-mlv.fr/~verin/publications/cpm97.ps

[JaDE: Access Control in a Java-Based Object Database - Jones Winslett \(1995\)](#) (Correct) (1 citation)

JaDE: **Access** Control in a Java-Based Object **Database** V. E. Jones M. Winslett Department of Computer data is available only to a centrally controlled **group** of people known to the **database** in advance. These JaDE: **Access** Control in a Java-Based Object **Database** V. E. drl.cs.uiuc.edu/security/./pubs/oowkshop.ps

[Stack And Queue Layouts Of Directed Acyclic Graphs: Part I - Heath, Pemmaraju, Trenk \(1996\)](#) (Correct) (11 citations)

July 22, 1996 Stack And Queue Layouts Of **Directed Acyclic** Graphs: Part I Lenwood S. Heath Y - ftp.cs.uiowa.edu/pub/sriram/graphs/dag1.ps.gz

[Extending Locking Techniques to Improve Concurrent Database.. - Cesar Galindo-Legaria](#) (Correct)

Extending locking techniques to improve concurrent **database access** Cesar Galindo-Legaria Fausto Rabitti 1 In general, they can be arranged as a **directed acyclic** graph (DAG) We do not consider DAGs 1 In general, they can be arranged as a **directed acyclic** graph (DAG) We do not consider DAGs explicitly ftp.inria.fr/associations/ERCIM/research_reports/ps/0495R036.ps

[Object/Relational Access Layers - A Roadmap, Missing Links and.. - Keller \(1998\)](#) (Correct) (1 citation)

Local Roadmap Relational **Database Access** Layer **Hierarchical** Views Transaction Object View Factory Physical object-oriented business system with a relational **database** is a tedious task. Object-orientation and the www.coldewey.com/europlop98/Program/Papers/Keller.ps

[Microarchitecture Support for Dynamic Scheduling of Acyclic.. - Beckmann, al. \(1992\)](#) (Correct) (12 citations)

of our approach to program scheduling is the **hierarchical** task graph (HTG) which has the following connected via a set E of edges or arcs. In a **directed** graph, edge **directions** are from the source to Microarchitecture Support for Dynamic Scheduling of **Acyclic** Task Graphs 1 Carl J. Beckmann
www.csr.d.uiuc.edu/reports/1207.ps.gz

An Algebra for Structured Text Search and A Framework.. - Clarke, Cormack.. (1995) (Correct) (32 citations)
of these proposals view document structure as **hierarchical**. Gonnet and Tompa [5] propose the use of a to a query nearest to a given position in the **database**. Recursive definitions for the seven operators a structured document. The document includes stage **directions**, speakers, speeches, lines, pages, acts, and cs-archive.uwaterloo.ca/cs-archive/CS-94-30/structxt.ps

Estimating the Robustness of Discovered Knowledge - Hsu, Knoblock (1995) (Correct) (3 citations)
of machine-discovered knowledge from real-world **databases** that change over time. A piece of knowledge is conclude with a summary of the contributions and **directions** for future work. 2 **Databases** and Rules This economically. Consider a tour guide who leads **groups** of tourists. From a particular **group** of tourists,
www.iis.sinica.edu.tw/~chunnan/DOWNLOADS/kdd95-tr.ps.gz

A Uniform Framework for Concept Definitions in Description.. - De Giacomo, Lenzerini (1997) (Correct) (5 citations)
by the properties associated with them. The **hierarchical** structure is defined in such a way that more Italy Abstract Most modern formalisms used in **Databases** and Artificial Intelligence for describing an definitions of recursive data structures such as **directed acyclic** graphs, lists, streams, etc. We
www.cs.cmu.edu/afs/cs/project/jair/pub/volume6/degiacono97a.ps.Z

Global Integration of Visual Databases - Wendy Chang (1998) (Correct) (1 citation)
Specifically, a metasever including a **hierarchical** metadatabase, a metasearch agent, and a query Global Integration of Visual **Databases** Wendy Chang Deepak Murthy and Aidong
www.rit.edu/~wcceec/.papers/icde98.ps

Views, Objects, and Databases - Wiederhold (1986) (Correct) (5 citations)
may be composed from more primitive objects. In **hierarchical databases** records may be assembled from lower /tex/reports.tex Views, Objects, and **Databases** Gio Wiederhold Stanford University, Computer notions inherent in non-procedural data **access**. A **direction** for further development, leading towards data
www-db.stanford.edu/pub/gio/1986/vod.ps

Characterization of Contention in Real Relational Databases - Singhal, Smith (1994) (Correct)
40] They have used a 15-minute trace from a **hierarchical database** system (IMS) However the focus of Characterization of Contention in Real Relational **Databases** Vigyan Singhal Alan Jay Smith Report No. use trace driven simulation, and still less study **directed** toward the characterization of concurrency
ic.eecs.berkeley.edu/pub/Memos_ERL/csd94-801.ps.Z

CORBA access to telecommunications databases - Porkka, Raatikainen (1997) (Correct) (1 citation)
CORBA **access** to telecommunications **databases** P. Porkka and K. Raatikainen University of of the users want to see the **database** as an X.500 **Directory** while others want to see it as an X.700
www.cs.helsinki.fi/research/rodain/papers/2in97-corba.ps

A Hypertext System for Integrating Heterogeneous, Autonomous.. - Noll, Scacchi (1994) (Correct) (2 citations)
types no no a **Directories**" refers to **hierarchical** containers of objects or other **directories**. objects in the repository are stored in a central **database** or storage manager, which may be **accessed** by Query Versioning SoftBench[7] optimistic **directories** a file no tool-level b AtFS[19] locks
cwis.usc.edu/dept/ATRIUM/Papers/Integrating_Software_Repositories.ps

Heuristic Greedy Search Algorithms for Latent Variable Models - Spirtes, Richardson, Meek (1997) (Correct) (2 citations)
network consists of two distinct parts: a **directed acyclic** graph (DAG or belief-network structure) network consists of two distinct parts: a **directed acyclic** graph (DAG or belief-network structure) and a **direct** causes of X_i plus the error term e_i on the **right** hand side of the equation. Since we have no kinks.phil.cmu.edu/spirtes/tetrapapers/machinelearn3.ps

Polynomial Solvability of Cost-Based Abduction - Santos, Jr., Santos (1996) (Correct) (6 citations)
[9, 3, 1] Central to this approach is the use of **directed acyclic** graphs called waodags or, weighted

Central to this approach is the use of **directed acyclic** graphs called woadags or, weighted and/or the two columns involved must belong in the same **grouping**, otherwise, the results for that row will be www.afit.af.mil/Schools/EN/AI/Papers/Journal/esj-ess:aij-96.ps.gz

METU Interoperable Database System - Dogac Dengi (1995) (Correct) (10 citations)

METU Interoperable **Database** System A. Dogac, C. Dengi, E. Kilic, G. Ozhan, one interface to one implementation, there is a **direct** one-to-one relationship between the operations in which is developed by the Object Management **Group** (OMG) [OMG 91] is a specification and an ftp.srdc.metu.edu.tr/pub/mind/papers/sigmodrec95.ps.Z

First 20 documents [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - Copyright [NEC](#) and [IST](#)